EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	92	(build$3 or packag$3) same (software or applicatio$2) same (determin$3 or check$3 or verif$4) and (operating near2 syste$2) same paramete$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 17:06
L2	290	(build$3 or packag$3) same (software or applicatio$2) same (determin$3 or check$3 or verif$4) and (operating near2 syste$2) and paramete$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 17:06
S1	123	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:07
S2	13	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) same media and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:07
S3	107	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) and (paramete$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:08

S4	104	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) and (paramete$2) and identifie$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:09
S5	78	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) and (paramete$2) and identifie$2 and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:11
S6	78	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) and (paramete$2) and (identif$4 same (applicatio42 or software or progra$2)) and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:13
S7	78	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) and (paramete$2) and (identif$4 same (applicatio$2 or software or progra$2)) and ((GUI or (graphical near2 user) near2 interface)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:13

S8	72	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (install$5) and (paramete$2) and (identif$4 same (applicatio$2 or software or progra$2)) and ((GUI or (graphical near2 user) near2 interface)) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:14
S9	72	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) and (paramete$2) and (identif$4 same (applicatio$2 or software or progra$2)) and ((GUI or (graphical near2 user) near2 interface)) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:15
S10	72	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) and (paramete$2) and (identif$4 same (applicatio$2 or software or progra$2)) and ((GUI or (graphical near2 user) near2 interface)) and media and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:17

S11	72	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) and (paramete$2) and (identif$4 same (applicatio$2 or software or progra$2)) and versio$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:19
S12	14	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) same (process$2) and (paramete$2) and (identif$4 same (applicatio$2 or software or progra$2)) and versio$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:18
S13	9	(build$3 or generat$3 or compil$3) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) and (paramete$2) and (identif$4 same (applicatio$2 or software or progra$2)) and versio$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:37

S14	9	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) and (paramete$2) and (identif$4) and versio$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:51
S15	6	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) and (paramete$2) and (identif$4) and versio$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit$3 and (command near2 lin$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 09:01
S16	16	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) and (paramete$2) and (identif$4) and versio$2 and ((GUI or (graphical near2 user) near2 interface)) and media and utilit$3 and (command near2 lin$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:06

S17	0	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same (serve$2 or download$3) same (instal$6) same (paramete$2) same (command near2 lin$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:08
S18	0	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same (serve$2 or download$3) same (paramete$2) same (command near2 lin$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:08
S19	89	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same (serve$2 or download$3) and (paramete$2) and (command near2 lin$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:09
S20	24	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same (serve$2 or download$3) and (paramete$2) and (command near2 lin$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:30

EAST Search History

S21	6	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same (serve$2 or download$3) and (paramete$2 same identif$4 same locatio$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:36
S22	4	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same (paramete$2 same identif$4 same locatio$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:36
S23	5	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:46
S24	4	(software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same (prior or before) same (build$3 or packag$3) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:41

S25	0	(pre$build$3 or pre$packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:48
S26	0	(prebuild$3 or prepackag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) and utilit$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:48
S27	0	(pre$build$3 or pre$packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:49
S28	0	(pre$build$3 or pre$packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:49
S29	16	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same (prior or before or previous$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:07

S30	16	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same ((directory near2 structur$2) or prior or before or previous$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:08
S31	4	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same ((directory near2 structur$2) or prior or before or previous$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:09
S32	0	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (operating near2 syste$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same (directory near2 structur$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:09
S33	1	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same (directory near2 structur$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:12

S34	2	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same (directory near2 structur$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:12
S35	5	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same ((paramete$2 or attribut$2) same identif$4 same locatio$2) same directory same structur$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:20
S36	700	(build$3 or packag$3) same (software or applicatio$2 or progra$2 or componen$2) same (determin$3 or check$3 or verif$4) same (operating near syste$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:22
S37	684	(build$3 or packag$3) same (software or applicatio$2 or progra$2) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:22
S38	98	(build$3 or packag$3) same (software or applicatio$2 or progra$2) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:23

S39	10	(build$3 or packag$3) same (software or applicatio$2 or progra$2) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same paramete$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:54
S40	10	(build$3 or packag$3) same (software or applicatio$2) same (determin$3 or check$3 or verif$4) same (operating near2 syste$2) same paramete$2 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221") and "717"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 17:06